# Cowichan Field Naturalists' Club. Bulletin No. 1.

PROPERTY OF LIBRARY, DEPARTMENT OF AGRICULTURE, CONFEDERATION BLOCK, OTTAWA

Lent to Date

PLEASE RETURN

An Annotated - Check List of the Flowering Plants - and Ferns - - - Native and Introduced

GROWING WITHOUT CULTIVATION

- - IN THE COWICHAN DISTRICT

- - - VANCOUVER ISLAND, B. C.

Comp" :d by R. Glendenning

# NOTE.

The following list is the precursor of a series covering all branches of Natural History which the Club hopes to publish in due course.

This list makes no pretence at being complete, nor in the present chaotic state of botanical nomenclature, will it give satisfaction to all, but it is hoped that it may be helpful to the amateur botanist and be the foundation of a complete list, the result of further researches.

While the author was much inclined to be eclectic in the nomenclature, the list follows that of Henry's Flora of Southern British Columbia, not on account of its accuracy, but on account of that Flora being in most general use.

To Professors John Macoun, J. M. Macoun, and J. Davidson, my thanks are due for their valued assistance in identifying difficult spacies, and to several members of the Club for kindly bringing to my notice new and uncommon species. To Mr. G. Buchanan Simpson, of Cowichan Lake, I am also indebted for a list of alpine and subalpine species found in that locality and which is incorporated herein.

The district included in this list is a natural one, and may be described roughly as the valleys of the Chemainus, Cowichan and Koksilah Rivers, from Chemainus south to Shawnigan and west to Cowichan Lake.

R. GLENDENNING.

Duncan, B. C., April, 1918.

#### Abbreviations

V. C. Very Common.

C. Common.

F. Frequent.

L. Local.

S. Scattered.

R. Rare.

# Flowering Plants and Ferns

#### FILICES (FERNS)

Adiantum pedatum L. Meidenhair. Wet rocks. C.

Asplenium cyclosorum Rupr. Lady-fern. Damp woods. C.

Botrychium silaifolium Presl. Moonwort. Damp places. S.

Cheilanthes gracillima D. C. Lip-fern. Sunny rocks, Maple Bay. R.

Cryptogramma acrostichoides R. Br. Parsley-fern. Mountain tops. L.

Cystopteris
fragilis L. Bladder-fern. Wet rocks. L.
montana Bernh. Bladder-fern. Rich woods. R.

Gymnogramme triangularis Kauf. Silver-back. Dry rocks. F.

Pellea densa Hook. Cliff brake. Sunny rocks. R.

Phegopteris
dryopteris Fee. Oak-fern. Damp woods. L.

Polypodium vulgare var. occidentale Hook. Polypod. Damp woods. C.

Polystichum dilatatum Hoff. Broad-fern. Damp woods. F. lonchitis Roth. Holly-fern. Cowichan Lake. munitum Underw. Sword-fern. Rich woods. C.

Pteris aquilina L. Bracken. Abundant.

Struthiopteris
spicant L. Hard fern. Damp woods. L.

# EQUISETACEAE (HORSETAILS)

Equisetum
arvense L. Horsetail. Damp fields. C.
hyemale L. Scouring rush. Wet places. L.
telmateia Ehrh. Great horsetail. Wet places. C.

#### SELAGINELLACEAE

Selaginella rupestris L. Sunny rocks. C.

# LYCOPODIACEAE (CL 'B MOSSES)

Lycopodium
clavatum L. Mount Sicker, 2,000 feet. L.
lucidum L. Cowichan Lake.
selago L. Cowichan Lake.

### TAXACEAE (YEW FAMILY)

Taxus
brevifolia Nutt. Yew. By streams. F.

#### CONIFERAE (FIR FAMILY)

Ables amabilis Forbs. Mt. Balsam. Mt. Brenton, 3,000 feet S. grandis Lindl. Balsam. Lowlands. C.

Chamaecyparis nootkatensis Spach. Cypress. Mt. Brenton. 3,000 ft. S.

communis var. sibirica Rybd. Juniper. Cowichan Lake. scopulorum Sarg. Juniper. Rocks by sea. S.

sitchensis Carr. Spruce. Bottom lands. C.

contorta Dougl. Scrub pine. Bogs and gravel ridges. F. monticola Dougl. White pine. Mountain woods. S.

Pseudotsuga

mucronata Raf. Douglas fir. Abundant throughout.

plicata Donn. Cedar. Lowlands. C.

Tsuga

heterophylla Sarg. Hemlock. Lowlands. C. mertensiana Carr. Mt. Hemlock. Mt. Brenton. S.

# TYPHACEAE (CAT-TAIL FAMILY)

Typha latifolia L. Cat tail. Lake margins. C.

## SPARGANIACEAE (BUR-REED FAMILY)

Sparganium simplex Huds. Wet places. F.

## NAIADACEAE (POND-WEED FAMILY)

Potamageton americanus C. & S. Pondweed. Outlet, Somenos Lake. S. epihydrus Paf. Pondweed. Quamichan Lake. F. heterophyllus Schreb. Pondweed. Quamichan Jake. L. natans L. Lakes and streams. C. praelongus Wulf. Lakes and streams. F. pusillus L. Lakes and streams. F. Richardsonii Rybd. Quamichan Lake. L. Pohhingii Oaks. Lakes. I. Robbinsii Oaks. Lakes. L. zosterifolius Schum. Lakes.

Zostera

marina L. Eel grass. Marine. F.

# JUNCAGINACEAE (ARROW-GRASS FAMILY)

Triglochin maritima L. Arow grass. Marshes, Cowichan Bay. F.

# ALISMACEAE (WATER PLANTAIN FAMILY)

plantago-aquatica. Water plantain. Ditches, Cow. Bay. F.

## **GRAMINEAE** (GRASS FAMILY)

Agrostis alba L. Red top. Introduced. C. microphylla Steud. Open places. S.

caryophyllea L. Hair grass. Introduced. F. geniculatus var. aristulatus Munro. Wet places. C. pratensis L. Fox-tail. Introduced. C. fatua L. Wild oat. Introduced. S. Anthoxanthum odoratum L. Sweet vernal grass. Introduced. F. Bromus carinatus H. & A. Brome grass. Open woods. eximus Piper. Brome grass. Open woods. F. var. robustus Shear. With the type. Hookerianus Thurb. Brome grass. Open woods. hordaceus L. Chess. Introduced. Dry ground. C Cynosurus cristatus L. Dog's tail. Introduced. S. glomerata L. Orchard grass. Introduced. C. Danthonia americana Scrib. Oat grass. Open places. L. Deschampsia elongata Munro. Hair grass. Open places. L. Distichlis spicata Gr. Salt grass. Salt marshes. C. Elymus glaucus Buch. Wild rye. Dry woods. F. Festuca elatior L. Meadow fescue. Introduced. S. myuros L. Introduced. L. occidentalis Hook. Dry slopes. F. ovine L. Sheep fescue. rubra L. Introduced. F. Introduced. Glyceria borealis Nash. Manna grass. In water. F. nervata var. elata Nash. Wet places. S. pauciflora Presl. Wet places. C. septentrionalis Hitch. In water. F. Hierochloe odorata Walen. Holy grass. Salt marshes. L. Holcus lanatus L. Yorkshire fog. Introduced. V. C. jubatum L. Squirrel-tail. Introduced. C. nodosum L. Open places. F. Koeleria

Koeleria
cristata Pers. Shining spike grass. Dry slopes. L.
Lolium
perenne L. Rye grass. Introduced. C.
multiflorum L. Italian rye grass. Introduced. S.
Melica
Hartfordii Bol. Melic grass. Fir woods. F

Hartfordii Bol. Melic grass. Fir woods. F. subulata Scrib. Open woods. L.

Scribnerianum Nash. Panic grass. Grassy banks. L.

Phalaris arundinacea L. Reed canary grass. Somenos Lake. L.

Phleum pratense L. Timothy. Introduced. C.

Phragmites communis Tris. Reed grass. By lakes. F.

annua L. Spear grass. Introduced. C. compressa L. Blue grass. Introduced. S. nevadensis Vasey. Dry slopes. L. pratensis L. June grass. Introduced. C. triflora Gilib. Wet places. F.

Setaria
Italica Beauv. Milet. Introduced. S.

Stipa viridula Trin. Feather grass. Dry slopes. F.

Trisetum
canescens Buch. False oat. Dry slopes. F.
cernuum Trin. False oat. Dry slopes. L.
spicatum Rich. False oat. Dry slopes. L.

#### CYPERACEAE (SEDGE FAMILY)

athrostachya Olney. Wet places . F. acutina Bailey. By Cowichan River. L. brunescens Poir. Wet places. F. canescens L. Wet places. C. cryptocarpa Meyer. Salt marshes. L. decidua Boott. Wet places. S. dives Holm. Wet places. S. dives Holm. Wet places. C. echinata Willd. Bogs. L. festiva Dewey. Wet places. C. flava var. rectorostrata Bailey. Wet places. L. Hendersoni Bailey. Damp woods. S. lasiocarpa Ehrh. By Solly's Lake. L. oederi Retz. Bogs. L. pennsylvanica var. vespertina Howell. Dry slopes. F. rostrata Stokes. Lake sides. F. sitchensis Bong. Swamps. C. stipata Muhl. Wet places. C. Tolmiei Boott. Sand by Cowichan River. L.

Duluchium spathaceum L. Margin of lakes. C.

Eleocharis palustris. Spike rush. Wet places. C.

Eriophorum chamissonis Mey. Cotton grass. Bogs. F.

Rynchospora alba Vahl. Bogs. S.

Scirpus microcarpus Presl. Swamps. F. validus Vahl. Bulrush. By lakes. C.

# ARACEAE (ARUM FAMILY)

Lysichiton kamtshatcense Schott. Skunk cabbage. Wet places. C.

### LEMNACEAE (DUCKWEED FAMILY)

Lemna minor L. Duckweed. Somenos Lake. F.

#### JUNCACEAE (RUSH FAMILY)

Juncus
Colvillei Piper. Rush. Sand by Chemainus River. L.
effusus var. brunneus Enghlm. Wet places. C.
ensifolius Wiks. Wet places. C.

Luzula
campestris L. Wood rush. Clearings. C.
parviflora Desv. Wood rush. Damp places. F.

#### LILIACEAE (LILY FAMILY)

Allium
acuminatum Hook. Onion. Rocky woods. L.
attenuifolium Kellog. By shore Maple Bay. R.
cernuum Roth. Rocky woods. F.
crenulatum Wiegand. Cowichan Lake.

Brodiaea
Douglasii Wats. "Hyacinth". Oakwoods, Quamichan. grandiflora Smith. Rocky woods. L. V. R. lactea Wats. Dry woods by sea. L.

Camassia
Leichlinii Wats. Camas. Open woods. F. quamash Greene. Open woods. L.

Clintonia
uniflora Kunth. Queen cup. By Cowichan River. R.
Disporium

oreganum B. & H. Fairy bells. Moist woods. S.

Erythronium
grandiflorum vars. Easter Lily.
albiflorum Hook. Rocky woods. C.
parviflorum Wats. Alpine Mount Prevost. L.
Smithii Hook. (Pink form.) By Cowichan River. L.

Fritillaria
kamtschatense Ker. Fritillary. Salt marshes Cow. Bay. R.
lanceolata Pursh. Rocky banks. F.
pudica Spreng. Cowichan Lake.

Lilium
parviflorum Holtz. Tiger lily. Damp clearings. F.

Maianthemum
bifolium var.
kamtschaticum. Lily of the valley. Damp woods. F.

recemosa Desf. False Solomon's Seal. Stream sides. L. sessilifolia Nutt. False Solomon's Seal. Damp woods. L.

Stenanthium occidentale Gray. Mountain bells. Wet cliffs. L. streptopoides F. & R. Cowichan Lake.

Streptopus
amplexifolius D. C. Twisted stalk. Damp woods. L.
Tofieldia
intermedia Ryb. False Asphodel. Bogs. L.

Trillium

ovatum Pursh. Wood lily (Wake-robin). Damp woods. C.

viride Ait. Hellebore. Bottom lands. F.

Zvgadenus

venenosus Wats. Poison camas. Dry, rocky woods. L.

# IRIDACEAE (IRIS FAMILY)

Sisyrinchium

idahoense. Blue-eyed grass. Damp, grassy places. L.

# ORCHIDACEAE (ORCHID FAMILY)

Calypso

bulbosa Oaks. Lady slipper. Mossy woods. F.

Corallorhiza

mertensiana Bong. Coral root. Fir woods. R. multiflora Nutt. Fir woods. F.

striata Lindl. Fir woods. L.

(Cyprepedium montanum Dougl. Lady Slipper, reported to have been frequent near Duncan years ago, not found lately.)

Goodyera

Menziesii Lindl. Rattlesnake plantain. Under firs. F.

Habenaria

elegans Lindl. Rein orchid. Dry woods. L. gracilis Wats. By springs. L. leucostachys Wats. We tplaces. F. leucostachys Wats. We tplaces. F. Micheali Greene. Dry woods. V. L. unalaskensis Wats. Mount Tzouhalem. R. viridiflora Rybd. Mount Brenton. R.

Listera

caurina Piper. Tway blade. Cowichan Lake. convallarioides Torr. Under hemlocks, Mount Prevost. nephrophylla Rybd. Fir woods. S.

Spiranthes

romanzoffiana Cham. Lady's tresses. Open places. F.

# SALICACEAE (WILLOW FAMILY)

Populus

tremuloides Michx. Aspen. Damp places. F. trichocarpa T. & G. Poplar. Damp places. F.

Salix

Geyeriana Anderson. Willow. Swamps. L.
Hookeriana Barret. Willow. Wet places. F.
lasiandra Benth. Willow. Wet places. C.
melanopsis Nutt. Willow. Sahtlam River bottom.
Scouleriana Barrat. Willow. Wet places. V. C. sitchensis Bong. Willow. By streams. C.

#### MYRICACEAE

Myrica Gale L. Sweet Gale. Lake margins. V. C.

# BETULACEAE (BIRCH FAMILY)

Alnus

rubra Bong. Alder. Wet places. V. C. sitchensis Sarg. Alder. Wet places, Cowichan Lake.

Corylus
californica Rose. Hazel. Alluvial lands, Cowichan River.

# FAGACEAE (BEECH FAMILY)

Quercus
Garryana Dougl. Oak. Warm situations. F.

#### URTICACEAE

Urtica Lyallii Wats. Nettle. Damp places. C.

#### ARISTOLOCHIACEAE

Asarum caudatum Lindl. Ginger. Moist woods. S.

# POLYGONACEAE (DOCK FAMILY)

Polygonum
aviculare L. Knotweed. Introduced.
convolvulus L. Bindweed. Introduced.
Douglasii Greene. Gravel. Cowichan River. L.
lineare Hooh. Gravel. Cowichan River. L.
minimum Wats. Mossy rocks. Mt. Prevost, 2,600 ft. R.
Persicaria L. Introduced. C.
spergulariforme Meisn. Gravel. Cowichan River. L.

acetosella L. Sorrel. Introduced. V. C. martimus var. fueginus Duser. By Somenos Lake. V. C. occidentalis Wats. Dock. Salt marshes. F. salicifolius Wein. Damp places. L.

# CHENOPODIACEAE

Chenopodium album L. Lamb's quarters. Introduced. V. C.

Salicornia ambigua Michx. Glass wort. in mud, Cowichan Bay. C.

# AMARANTHACEAE (PIGWEED FAMILY)

Amaranthus retroflexus L. Pigweed. Introduced. C.

# CARYOPHYLLACEAE (PINK FAMILY)

Arenaria
macrophylla Hooh. Sand wort. Open woods. F.
tenella Nutt. Sunny banks. L.
serpyllifolia L. Introduced. F.

Cerastium
arvense L. Mouse ear, chickweed. Stony banks. F. vulgatum L. Introduced. C.

Sagina occidentalis Green. Pearl wort. Moist places. L.

Saponaria Vaccaria L. Soap wort. Introduced. L. Silene

antirrhina L. Campion. Sunny slopes, Tzouhalem. gallica L. Introduced. L. latifolia B. & R. Introduced . L. Menziesii Hook. Sand. Cowichan River. L.

Spergula arvensis L. Corn spurrey. Introduced.

Stellaria

borealis var. alpestris Brit. Chickweed. Moist places. L. media L. Introduced. V. C.

#### PORTULACEAE

Calandrinia caulescens H. B. K. Grassy banks. Tzouhalem. L.

columbiana Rob. Bitter-root. Cowichan Lake.

Montia (Claytonia)
fontana L. Spring Beauty. Ditches. L.
linearis Dougl. Damp fields. C.
parviflora Torr. Damp fields. C.
parvifolia Dougl. Wet rocks. S.
perfoliata Donn. Damp places. C.
sibirica L. Open woods. C.

# NYMPHACEAE (WATER-LILY FAMILY)

Brasenia
Schreberi Gmel. Water shields. Stagnant ponds. V. L
Nymphaea
polysepala Greene. Pond lily. Lakes. C.

# RANUNCULACEAE (BUTTERCUP FAMILY)

Actaea arguta Nutt. Baneberry. Open woods. S.

Lyallii Brit. Windflower. Moist woods. F. multifida Poir. Windflower. Rocks. Chemainus. R.

Aquilegia formosa Fisch. Columbine. Open woods. F.

Caltha
biflora D. C. Marsh marigold. Cowichan Lake.
leptosepala D. C. Marsh marigold. Cowichan Lake.
Delphinium

Menziesii D. C. Larkspur. Open woods. F.

Ranunculus
acris L. Buttercup. Introduced.
aquatilis L. Small streams. C.
Bongardii Greene. Damp places. C.
occidentalis Nutt. Grassy banks. C.
orthorhynchus Hook. Wet fields. F.
repens L. Wet places. C.
reptans L. Wet places. F.

Thalictrum occidentale Gray. Meadow rue. Stream sides. S.

Trautvetteria grandis Nutt. Stream sides. L.

Trollius laxus Salisb. Globe flower. Cowichan Lake.

# BERBERIDACEAE (BARBERRY FAMILY)

Achlys
triphylla D. C. May leaves. Fir woods. C.
Berberis

aquifolium Pursh. Mahonia. Gravelly woods. S. nervosa Pursh. Oregon grape. Fir woods. C.

# PAPAVERACEAE (POPPY FAMILY)

Plastystigma oreganum Wats. Shaly banks. Tzouhalem. V. L.

#### **FUMARIACEAE**

Cicentra formosa D. C. Bleeding heart. Rich woods. F.

# CRUCIFERAE (CABBAGE FAMILY)

Arabis

Breweri Wats. Grassy ledges. Tzouhalem. V. R. glabra Berk. Tower mustard. Introduced. hirsuta Scop. Rocky places. L.

Brassica arvensis L. Charlock. Introduced. V. C. campestris L. Mustard. Introduced. V. C.

bursa-pastoria L. Shepherd's purse. Introduced. V. C.

Cardamine
angulata Hook. Bitter cress. Wet places. L.
hirsuta L. Introduced.
oligosperma Nutt. Wet places. L.

Dentaria
tenella Pursh. Tooth wort. Damp woods. C.

verna L. Gravelly places. Introduced. Erysimum

elatum Nutt. Cowichan Lake. Lepidium

Menziesii D. C. Pepper grass. Gulf shores. R.

Armoracia L. Horseradish. Introduced. curvisiliqua Hook. Damp places. F.

Subularia
aquatica L. Awlwort. Margin of Quamichan Lake. L.
Thlaspi

arvense L. Penny cress. Introduced. S.

Thysanocarpus curvipes. Lace pod. Rocky banks. Quamichan. L.

Sisymbrium

altissimum L. Tumble mustard. Introduced. L.

officinale L. Hedge mustard. Introduced.

# DROSERACEAE (SUNDEW FAMILY)

Drosera rotundifolia L. Sundew. Bogs. C.

#### CRASSULACEAE

Douglasii Hook. Stonecrop. Rocks by sea. L. spathulifolium. Rocks. C. stenopetalum. Rocks. Cowichan Lake. L.

# SAXIFRAGACEAE (SAXIFRAGE FAMILY)

occidentalis T. & G. Rocks by Cowichan River. L.

cylindrica Dougl. Alum root. Open woods. S. glabra Willa. Cowichan Lake . micrantha Dougl. Rocks. F.

Leptarrhena

amplexifolia Ser. Pear leaves. Mt. Brenton, 3,500 ft. R.

caulescens Nutt. Mitrewort. By streams. R. ovalis Greene. By streams. R.

fimbriata Banks. Grass of Parnassus. Wet rocks. Chemainus River.

Philadelphus Lewisii Pursh. Mock orange. By creeks. F.

Ribes

bracteosum Dougl. Currant. By streams. F. divaricatum Dougl By streams. F. lacustre Poir. By streams. R. Lobbii Gray Dry woods. C. sanguineum Pursh. Rocky woods. C.

Sa. ifraga

arguta Don. Saxifrage. Cowichan Lake. Bongardi Presl. Sunny rocks. Mt. Prevost, 2,600 ft. L. bronchialis L. Cowichan Lake. caespitosa L. Mossy rocks. Tzouhalem Mount. cernua L. Cowichan Lake. integrifolia Hook. Grassy banks. F. Mertensiana Bong. Wet rocks. Cowichan River. Nelsonia Don. Cowichan Lake.
occidentalis Grey. Wet rocks. Tzouhalem Mount. R.
rufidula Small. Cowichan Lake.
Tolmiei T. & G. Cowichan Lake.

grandiflora R. Rr. Fringe cup. Damp woods. S. tenella Walp. Grassy banks. S.

laciniata Hook. Foam flower. By streams. In mountains. R.

trifoliata L. In fir woods. V. C.

Menziesii Pursh. Damp woods. F.

#### ROSACEAE (ROSE FAMILY)

Amelanchier

Cusickii Fer. June berry. Open woods. C. florida Lindl. June berry (flowers later). L.

Aruncu.

sylvester Kost. Goat's beard. By streams. L.

Douglasii Lindl. Hawthorn. Bottom lands. F.

bracteata Heller. Strawberry. Sunny banks. F. cuneifolia Nutt. Sunny places. C.

Geum

macrophyllum Wild. Open places. F.

Neillia (Physocarpus)
opulifolia B. & W. Nine bark. By streams. F.

cerasiformis T. & G. Indian cherry. Damp woods. C.

Potentilla.

anserina L. Silverleaf. Ditches, Cowichan Bay. F. glandulosa Lindl. Gravel by Cowichan River. L. Monspeliensis L. By Keatings Lake. R. palustris Scop. Marsh cinquefoil. Lake margins. C.

demissa Walp. Choke cherry. Cowichan Bay. R. emarginata Walp. Choke cherry. Bottom lands.

Pyrus

rivularis Dougl. Crab apple. Bottom lands. C. sitchensis Piper. Mountain ash. Rocky bluffs. L.

Rosa

gymnocarpa Nutt. Wild rose. Open woods. S. Nutkana Presl. Wild rose. Wet places. C. pisocarpa Gray. Wild rose. Wet places. L.

Rubus

lasiococcus Gray. Cowichan Lake. leucodermis Dougl. Black raspberry. Open woods. F. macropetalus Dougl. Blackberry. Clearings. V. C. nivalis Dougl. Cowichan Lake.
parviflorus Nutt. Thimble berry. Open places. F.
pedatus Smith. Mount Brenton, 3,000 feet. spectabilis Pursh. Salmon berry. By streams. C.

Sanguisorba

annua Nutt. Burnet. Open places. L.

discolor Pursh. Spiraea. Dry woods. C. Douglasii Hook. Tea brush. Swamps. pectinata T. & G. Corrichan Lake.

# LEGUMINOSAE (PEA FAMILY)

Hosackia

parviflora Benth. Gravelly banks. L.

Nuttallii Wats. Pea vine. Open woods. C. palustris L. Pea vine. Salt marshes. L.

bicolor Lindl. Lupine. Sunny banks. L. polyphyllus Lindl. Open woods. F.

**Psoralea** 

physodes Dougl. Devil's shoe string. Open woods. F.

Trifolium

cyanthiferum Lindl. Clover. Rocks, Chemainus River. L. fimbriatum Lindl. Wet places. F. hybridum L. Alsike. Introduced. S. microcephalum Pursh. Sunny banks. L. pratense L. Red clover. Introduced. C. procumbens L. Hop clover. Introduced. C. repens L. White clover. Introduced. tridentata Lindl. Sunny banks. L.

Vicia

americana Muhl. Vetch. Open places. C. var. angustifolia Nees. Open places. L. var. truncata Muhl. Open places. L. gigantea Hook. Woods by sea. L.

# GERANIACEAE (GERANIUM FAMILY)

Erodium
cicutarium L. Crane's bill. Grassy banks. (Possibly
introduced.) C.

dissectum L. Stork's bill. Introduced. S. molle L. Stork's bill. Introduced. S. pusillum L. Stork's bill. Introduced. C.

#### CALLITRICHACEAE

Callitriche
heterophylla Pursh. Still waters. L.

#### **EMPETRACEAE**

Emnetrum
nigrum L. Crowberry. Bogs. L.

## CELASTRACEAE

Pachystima myrsinites Raf. False box. Dry woods. L.

# ACERACEAE (MAPLE FAMILY)

Acer

glabrum Torr, macrophyllum Pursh. Broad-leaved maple. Moist places.

## RHAMNACEAE (BUCKTHORN FAMILY)

Ceanothus sanguineus Pursh. Snow brush. Rocky woods. R.

Purshiana D. C. Cascara. Bottom la..ds. F.

#### MALVACEAE

Sidalcea Hendersonii Wats. Marsh hollyhock. Salt marshes. R.

#### HYPERICINEAE

Hypericum
anagalloides C. & S. St. John's wort. Wet places. F.
Scouleri Hook. St. John's wort. Lake margins, etc. L.

#### VIOLACEAE (VIOLET FAMILY)

Viola

adunca Smith. Open places. C.
glabella Nutt. Damp woods. C.
palustris var. leimonia V. N. Wet places. S.
Nuttallii var. praemorsa Dougl. Oak woods. L.
sempervirens Greene. Fir woods. F.

#### CACTACEAE

Opuntia
polyacantha Haw. var. borealis. Cactus. Rocks by sea. L.

#### ELEAGNACEAE (OLEASTER FAMILY)

Shepherdia canadensis Nutt. Dry woods. S.

#### HALORAGIDACEAE

Hippuris
vulgaris L. Mares tail. Somenos Lake. L.
Myriophyllum
s icatum L. Water milfoil. Somenos Lake. R.

#### ONAGRACEAE

Circea
pacifica Arch. Creek beds. S.
Clarkia

pulchella Pursh. Fields. Somenos. (Possibly introduced)
Epilobium

angustifolium L. Fireweed. Clearings. V. C. franciscanum Bar. Damp places. F. luteum Pursh. Cowichan Lake. minutum Lindl. Open places in mountains. paniculatum Nutt. Gravelly banks. F.

Godetia
caurina Abrams. Dry woods by sea. S.
tenella Wats. Sunny banks. Tzouhalem Mountain. R.

Ludvigia
palustris Ell. Water purslane. Margin of Quamichan
Lake. F.

# UMBELLIFERAE (PARSLEY FAMILY)

Angelica genusiexa Nutt. Wet places. V. J.

Gairdneri Gray. Caraway. Open places. S.

Caucalis
microcarpa H. & A. Sunny banks. Tzouhalem Mt. R.

Douglasii C. & R. Poison parsnip. Lake sides, etc. F.

pusillus Michx. Wild carrot. Sunny slopes. Gulf. R.

lanatum Michx. Cow parsnip. Wet places. F. Leptotaenia

dissecta Nutt. Oak woods. R.

Lilacopsis occidentalis C. & R. Salt marshes, L.

Oenanthe sarmentosa Presl. Water parsley. Streams. V. C.

Osmorrhisa divaricata Nutt. Sweet Cicely. Open woods. F.

Peucedanum (Lomatium)
leiocarpum Nutt. Hog fernel. Gravel. Sahtlam. L.
triternatum C. & R. Tzouhalem Mountain. R.
utriculatum Nutt. Rocky banks. F.

Sanicula
bipinnatifi 4 Dougl. Sanicle. Sunny banks. Gulf. R.
Menziesii H. & A. Open dry woods. L.
septentrionalis Greene. Open woods. F.

cicutaefolium Gmel. Lake sides. F.

## ARALIACEAE (GINSENG FAMILY)

Fatsia horrida B. & H. Devil's club. Wet woods in mount'ns. F.

CORNACEAE (DOGWOOD FAMILY)

Cornus
canadensis L. Bunch berry. Open woods. Mount
Brenton, 3,000 feet.
Nuttallii T. & C. Dogwood. Warm situations. F.
pubescens Nutt. Red Osier Dogwood. Swamps. F.

# ERICACEAE (HEATH FAMILY)

Arctostaphylos
media Greene. Bearberry. Cowichan Lake. L.
tomentosa Dougl. Dry hillsides. L.
Uva-ursi Spreng. Gravel slopes. L.

Arbutus Menziesii Pursh. Madrona. Dry hillsides. F.

Mertensiana Don. Moss heather. Cowichan Lake. F. Chimaphila

Menziesii Spreng. Prince's Pine. Dry woods. S. umbellata Nutt. Dry woods. F.

Cladothamnus

pyrolaeflorus Bong. Copper bush. Lowichan Lake.

ovalifolia Gray. Tea berry. Cliffs. Chemainus River. R. shallon Pursh. Sala!. Fir woods. V. C.

Kalmia polifolia Wang. Bogs. L.

Ledum latifolium. Labrador tea. Bogs. F.

Menziesia ferruginea Smith. By Chemainus River. R.

moneses uniflora Gray. One-flowered pyrola. Cowichan Lake. Oxycoccus
palustris Pers. Cranberry. Bogs. F.

Pyrola
aphylla Smith. Winter green. Fir woods. R.
asarifolia Michx. Fir woods. C.
chlorantha Swartz. Fir woods. S.
bracteata Hook. Fir woods. L.
picta Smith. Fir woods. S.
var. dentata Piper. Fir woods. R.
secunda L. Fir woods. F.

Phyllodoce empetriformis Don. False heather. Cowichan Lake.

Rhododendron albiflorum Hook. Mount Brenton, 3,000 feet. R.

Vaccinium

caespitosum Mich. Blueberry. Margins of lakes. F.
membranaceum Dougl. In the mountains. R.
ovalifolium Smith. In the mountains. F.
ovatum Pursh. Koksilah hills. L.
parvifolium Smith. Damp woods. C.
uliginosum L. Bogs. R.

#### MONOTROPACEAE (INDIAN PIPE FAMILY)

Allotropa virgata T. & G. Fir woods. S.

Hypopites Small. Fir woods. R.

Monotropa uniflora L. Indian pipe. Fir woods. S.

Pterospora andromeda Nutt. Fir woods. R.

#### **PLUMBAGINACEAE**

armeria L. Thrift. Rocks by shore. R.

# PRIMULACEAE (PRIMROSE FAMILY)

Dodecatheon
pauciflorum Greene. Shooting star. Wet rocks. Cowichan River, etc. F.

Lysimachia thyrsiflora L. Loose strift. Lake sides. C.

Trientalis
arctica Fisch. By lakes. L.
latifolia Hook. Star flower. Open woods. F.

### GENTIANACEAE (GENTIAN FAMILY)

Gentiana
acuta Michx. Open places. S.
sceptrum Poll. Swamp gentian. By lakes. R.

Menyanthes trifoliata L. Buckbean. Margins of lakes. C.

#### APOCYNACEAE

Apocynum

androsaemifolium L. Dog bane. Dry woods. F.
cannabinum L. Shale by Cowichan River. R.

# CONVOLULACEAE (CONVOLVULUS FAMILY)

Convolvulus
arvensis L. Bindweed. Introduced. F.

Cuscuta arvensis Beyrich. Dodder. On clover. S.

# POLEMONIACEAE (PHLOX FAM!LY)

capitata Dougl. Shale. R. gracilis Hook. Gravel. F. grandifiora Gray. Gravel. S. heterophylla Dougl. Open woods. F. nearis Gray. Open woods. S. enella Benth. Grassy banks. F. squ. rrosa H. & A. Grassy banks. R.

Phlox
Douglasii Hook. 'Phlox. In the mountains. Cowichan
Lake.

# HYDROPHYLLACEAE

Nemophila
parviflora Dougl. Grove lover. Open woods. F.
pedunculata Dougl. Dry slopes. L.
sepulta Parish. Dry slopes. F.

Romanzoffia sitchensis Bong. Cowichan Lake.

# BORAGINACEAE (BORAGE FAMILY)

Amsinckia
lycopso:des Lehm, var. bracteosa. Alluvial lands. F.
Allocarva

californica D. C. Damp places. F.

Lappula echinata Gil. Stickseed. Introduced. S. My 186tis

arvensis Hill. Forget-me-not. Wet places. Cowichan. macrospermz. Eng. Gravel beds. Sahtlam. L. versicolor Sm. Introduced.

# LABIATEAE (MINT FAMILY)

Lycopus uniflorus Mi. Bugleweed. Lake margins. F.

Marrubium vulgare L. Horehound. Introduced. L.

Mentha canadensis L. Mint. Wet places. F. spicata L. Introduced. L.

Micromeria
Douglasii Benth. Dry woods. F.

Cataria L. Catnip. Introduced. C. hederacea Trev. Ground Ivy. Introduced. S.

vulgaris L. Seal heal. Open places. C.

Scutellaria

galericulata L. Skull cap. Margin of Somenos Lake. S. lateriflora L. Margin of Somenos Lake. F.

Stachys

ciliata Dougl. Hedge nettle. Wet places. F.

# SCROPHULARIACEAE (FIGWORT FAMILY)

Castilleja

angustifolia var. Bradburyi Fern. Paint brush. Grassy banks. L. miniata Dougl. Grassy banks. F.

nemorosa Dougl. Turtle head. Cowichan Lake.

Collinsia

grandiflora Dougl. "Blue-eyed Mary". Stony places. F. var. pusilla Gray. "Blue-eyed Mary". Stony places. F. parviflora Dougl. Stony places. Maple Bay. R.

Gratiola

virginiana L. Hedge hyssop. Wet places. V. L.

Linaria

vulg is Mill. Toad flax. Introduced. L.

Mimulus

alpinus Gray. Monkey flower. Cowichan Lake. alsinoides Dougl. Wet banks. F. Langsdorfii Don. Wet places. C. var. nasutus Greene. Wet rocks. L. Lewisii Pursh. Cowichan Lake. Moschatus Dougl. Musk. Wet places. C.

Orthocarpus

attenuatus Gray. Small paint brush. Sunny banks. Gulf. L.

pusillus Benth. Grassy places. F.

Penstemon diffusus Dougl. Beard tongue. Open woods. Cowichan. Menziesii Hook. Cowichan Lake.

Veronica arvensis L. Speedwell. Introduced. americana Schw. Streams. C. peregrina L. Wet places. F. scutellata L. Swamps. F. serpyllifolia L. Wet places. C.

# OROBANCHACEAE (BROOM RAPE FAMILY)

Boschniakia

strobilacea Gray. Poque. On salal by Cowichan River. Orobanche

comosa Hook. On Grindelia, Gulf Islands. V. L. fasciculata Nutt. In sand. Menzies Creek. V. L. pinorum Gey. On firs. Cowichan River. V. L. unistora L. Cancer root. On grass etc. Cowichan. F.

#### LENTIBULARIACEAE

Pinguicula
vulgaris L. Butterwort. In the mountains. Cowichan L.
Utricularia

vulgaris L. Bladder-wort. Keatings Lake. minor L. Somenos Lake.

# PLANTAGINACEAE (PLANTAIN FAMILY)

Plantago
lanceolata L. Plantain. Introduced. C.
major L. Plantain. Clearings. C.
maritima L. By the sea. Cowichan. S.

#### RUBIACEAE

Galium

aparine L. Cleavers. Damp places. Cowichan.
boreale L. Shaly banks. Cowichan. L.
trifidum L. Open places. F.

# CAPRIFOLIACEAE (HONEYSUCKLE FAMILY)

Linnea borealis L. Twin flower. In fir woods. C.

Lonicera
ciliosa Poir. Orange honeysuckle. In fir woods. F.
hispidula Lindl. Purple honeysuckle. Rocky hillsides. L.
involucrata Banks. Bush honeysuckle. By streams. F.

Sambucus glauca Nutt. Elder. Open woods. S. racemosa L. Red elder. Wet places. F.

Symphoricarpus
racemosus Michx. Snowberry. Open woods. F.
var. pauciflorus Robbins. Snowberry. Dry woods. S.

pauciflorum Raf. Bear Lake, near Cowichan Lake.

# VALERIANACEAE (VALERIAN FAMILY)

Valeriana
sitchensis Bong. Valerian. Rocky woods. L.
Valerianella
congesta D. C. Sea blush. Shaly banks. F.
samolifolia K. Open woods. Sahtlam. L.

# CAMPANULACEAE

Campanula
rotundifolia L.
var. Alaskana. Bluebell. Rocks. Chem. River. V. L.
Scouleri Hook. Dry woods. S.

Specularia perfoliata A. D. C. Sandy slopes by Maple Bay. V. L.

# COMPOSITAE (DAISY FAMILY)

Achillea millefolium L. Yarrow. Dry woods and clearings. C.

Agroseris
heterophylla Greene. False dandelion. Gravel. Sahtlaciniata Greene. Gravel. F. lam. V. L.

Adenocaulon bicolor Hook. Silver green. Damp woods. F.

Anaphalis margaritacea Benth. Everlasting. Damp banks. F.

Anthemis cotula L. Mayweed. Introduced. C.

Antennaria Howellii Greene. Dry fir woods. S.

Artemisia
ludoviciana Nutt. Sage brush. Open places. S. sp. ? Rocks by sea. L.

amplexicculis Nutt. Arnica. Wet rocks. Cowichan aspera. Gordon River. Cowichan Lake. River. F. latifolia Bong. Rocks by Chemainus River. L.

Arctium minus Brh. Burdock. Introduced. C.

Aster
Douglasii Lindl. Michaelmas daisy. Open places. C. modestus Lindl. Michaelmas daisy. Damp places. F.

Balsamorrhiza deltoidea Nutt. Balsam root. Oak woods. R.

Bellis
perennis L. Daisy. Introduced. F.

Bidens amplissima Greene. Bur marigold. By Somenos Lake. L.

Chrysanthemum leucanthemum L. Ox-eyed daisy. Introduced. C.

Cotula coronopifolia L. Mud, Cowichan Bay. L.

Carduus

arvensis L. Canada thistle. Introduced. F.
edulis Greene. Open places. S.
lanceolatus L. Spear thistle. Introduced. V. C.

Crepis biennis L. Hawksbeard. Introduced. V. C.

Cichorium
Intybus L. Chicory. Introduced. S.

Crocidium multicaule Hook. Spring daisy. Shaly banks. L.

Erigeron
canadensis L. Fleabane. Introduced. F.
philadelphicus L. Fleabane. Damp clearings. F.
strigosus Muhl. Fleabane. Rocks, Chem. River. V. L.

Eriophyllum caespitosum Dougl. Woolly sunflower. Dry places. L.

Gnaphalium
microcephalum Nutt. Cudweed. Dry woods. L.
purpureum L. Cudweed. Dry ground. F.
uliguinosum L. Cudweed. Dry ground. C.

Grindelia nana Nutt. Gum weed. Sunny rocks. Gulf. F.

Hieracium
albiflorum Hook. Hawk weed. Dry woods. F.
canadense Mich. By Somenos Lake. R.

Hypochoeris
glabra L. Cat's ear. Introduced. L.
radicata L. Cat's ear. Introduced. V. C.

Lactuca
spicata Hitch. Tall lettuce. Damp clearings. F. scariola L. Prickly lettuce. Introduced. S.

Luina hypoleuca Benth. Sunny rocks. Chem. River. V. L.

Madia
exigua Greene. Tar weed. Dry woods. S.
glomerata T. & G. Tar weed. Road sides. F.
madioides Nutt. Tar weed. Dry woods. S.
racemosa T. & G. Tar weed. Dry woods. F.
sativa Mol. Tar weed. Clearings, Cobble Hill. L.

Matricaria suaveolens Buck. Pineapple weed. Introduced. C.

Petasites
speciosa Nutt. Colt's foot. By streams. F.

Prenanthes alata Gray. Damp woods. Chemainus River. L.

Rudbeckia hirta L. Cone flower. Introduced. R.

Senecio
balsamitae Muhl. Ragwort. Gravel. L.
triangularis Hook. Damp woods. Chemainus River. L.
vulgaris L. Groundsel. Introduced. F.

Sericocarpus ridigus Lindl. Oak woods. R.

Solidago elongata Nutt. Golden rod. Open woods. F.

Sonchus oleraceus L. Sow thistle. Introduced. C.

Taraxacum officinale Weber. Dandelion. Introduced. V. C.

Tragopogon porrifolius L. Salsify. Introduced. L.

